



Technical Data. Specification.

Sunlight - the right choice for everyone!



1 / 2010


Sunlight Caravans

- Made in Germany
- Long experience in development
- High quality at a fair price
- Comprehensive standard specification
- Europe-wide dealer support
- Reliable spare parts supply



Technical Data. Specification.

Sunlight – the right choice for everyone!



Layout		C 39 HK	C 44 D	C 45 D	C 47 D	C 51 K
Technical data						
Width	cm	232	232	232	232	232
Length conversion/total length	cm	413/564	487/630	517/666	547/692	557/708
Total height/awning size	cm	260/846	260/920	260/950	260/985	260/990
Sleeping berths		2	3	4	4	5
Bed size	Front	cm 211x196	211x137	197x144/106	197x144/106	211x137
	Lengthwise	cm -	-	-	-	197 x 92
	Alternative	cm -	-	-	-	-
	Rear	cm -	190x135/95	212x138	212x138	211x68/46 / 185x68
Mass in running order	kg	960	1040	1070	1160	1160
Payload	kg	390	310	280	190	440
Maximum authorised weight	kg	1350	1350	1350	1350 *	1600
Chassis type		BPW	BPW	BPW	BPW	BPW
Heating		S 3002	S 3002	S 3002	S 3002	S 3002
Fridge/ freezer compartment	l	113/11	113/11	113/11	113/11	113/11
Water incl. boiler/waste water tank capacities	l	45/22	45/22	45/22	45/22	45/22
Power outlets 230 V		2	2	2	2	2

Standard Specification Sunlight Caravans

Chassis

- BPW base, fully zinc plated, light-construction chassis with zinc plated axle
- Zinc-plated corner steadies
- Independent wheel suspension with damper
- Automated overrun device
- Stabilising wheel with handle
- Branded tyres

Conversion

- Floor thickness 41 mm incl. 30 mm foam polystyrene
- Roof and wall thickness 34 mm
- Roof and side walls in sandwich construction
- Insulated wheel housing
- Riffled sides
- Smooth sides for front/rear

Conversion

- One-piece entrance door, optionally available with flyscreen door
- Spare wheel bracket in gas locker
- Opening window double glazed with blind and flyscreen
- Bonnet in milky acrylic glass
- Rear moulding with Caraluna lamps
- Integrated awning and canopy bar
- Internal height 195 cm

Installation


- Robust gas bottle locker with metallic floor for 2x11 kg (access locker door with gas spring)
- Gas lock valve with easy access
- Security ventilation according to EN norm
- CEE 230 V external socket with safety device and 12 V cutout and powerful transformer (120 W)

Installation

- Trumatic S heating with automated ignition
- Awning light
- Integrated rear fog light
- Third stoplight
- 12 V illumination

Kitchen

- Kitchen centre with inserted stainless steel sink
- 3-burner-hob with safety pilot, flame protection and glass cover
- Fridge with freezer compartment
- Spacious overhead locker in kitchen
- Illuminated kitchen plinth
- Cutlery drawer
- Waste bin
- Spice rack
- Wine bottle rack (not for C 45 D, C 52 K)



C 52 K

C 55 D

C 55 DBM

C 55 V

232

232

232

232

567/710

597/748

657/795

597/748

260/1000

260/1030

260/1080

260/1030

5

4

4

4

197x144/106

211x137

211x137

211x137

197x92

-

-

-

-

-

-

-

211x68/46 / 185x68

197x144/106

195x150/140

2x 195x80

1160

1235

1300

1235

440

365

300

365

1600

1600

1600

1600

BPW

BPW

BPW

BPW

S 3002

S 3002

S 5002

S 3002

113/11

113/11

113/11

113/11

45/22

45/22

45/22

45/22

3

4

4

4

That added comfort comes standard

- Corner steadies
- High payload
- Gas bottle locker with robust metallic bottom
- Spare wheel holder
- Moveable waste water tank
- Trumatic circulating air heating
- Overhead lockers throughout the vehicle
- Cold foam mattress with wooden slatted frame
- Awning light
- 3-burner-hob kitchen
- Indirect illumination for lounge
- Comfort accessories (depending on model) such as wardrobe, shoe bin or wine bottle holder

* possible weight upgrade to 1600kg

Living area

- Partition curtain between living and sleeping area
- Cold foam mattresses with wooden laths for all fixed beds
- Foam mattresses with wooden laths for all bunk beds
- Adjustable slatted frame for fixed beds
- Bunk bed loading: until 75 kg
- For fixed beds: mattress and heading section covers matching upholstery
- Overhead locker doors with high quality and robust hinges
- Spacious storage compartments
- Montreux Pear wood
- Working surfaces in dark granite optic with silver edging
- Real wood lipping
- PVC in parquet optic
- Indirect illumination in lounge area

Bathroom

- Swivelling cassette toilet with electrical pump
- Opening window in bathroom
- Mirror closet
- Halogen illumination
- Roof fan with flyscreen (depending on model)
- Open construction for bathroom in wood décor and block toilet with electrical pump (C 45 D, C47D and C52K)
- Bathroom in wood décor or white/ silver plastic walls (depending on model)

Soft furnishing

- Rügen or Torino



Optional Extras Sunlight Caravans

Type	Add.weight	C 39 HK	C 44 D	C 45 D	C 47 D	C 51 K	C 52 K	C 55 D	C 55 DBM	C 55 V
■ Chassis										
Alloy wheels	–	○	○	○	○	○	○	○	○	○
Stabiliser WS 3000	5	○	○	○	○	○	○	○	○	○
Weight upgrade 1600 kg	10	–	–	–	○	●	●	●	●	●
A frame cover	8	○	○	○	○	○	○	○	○	○
Spare wheel	17	○	○	○	○	○	○	○	○	○
Heavy duty corner steadies	2	○	○	○	○	○	○	○	○	○
■ Bodywork exterior										
Window for sleeping area (front or rear) incl. blind	2	●	○	○	○	○	○	○	–	○
Flyscreen door	3	○	○	○	○	○	○	○	○	○
Smooth sides incl. decals „Active“	1kg/m ²	○	○	○	○	○	○	○	○	○
Heki	11	○	○	○	○	○	○	○	○	○
Access locker door (size depending on model)	2,5	○	○	○	○	○	○	○	○	●/○*
■ Bodywork interior										
Shower (with mounting parts)	5	○	○	○	○	○	○	○	○	○
Carpets	8	○	○	○	○	○	○	○	○	○
Skylight blind	1	○	○	○	○	○	○	○	○	○
■ Installations										
Extractor fan	3	○	○	○	○	○	○	○	○	○
Floor heating (electr.)	6	○	○	○	○	○	○	○	○	○
Truma Therme	7	○	○	○	○	○	○	○	○	○
Warm air system	3	○	○	○	○	○	○	○	○	○
■ Misc										
Registration documents	–	*	*	*	*	*	*	*	*	*

* obligatory ● standard ○ option – not possible

* Access locker door O/S rear is standard, O/S front or N/S left are available as an option.

Comfort package (32 kg)

- › Stabiliser WS 3000
- › Truma Therme
- › Warm air system
- › Heki
- › Extractor fan
- › Flyscreen door
- › Water ingress warranty (5 years)*

* provided annual inspections are undertaken by a Sunlight approved service centre

General information

The mass in running order according to norms 97/27 EG and EN 1645-2 includes the empty vehicle weight and following basic equipment: filled water tank, 1x11 kg gas bottle (100% filled) and a cable reel.

The term „Maximum Authorised Weight“ must not be exceeded when optional extras and personal items are taken into account.

The Technical Information Sunlight Caravans is 01/2010 is valid from 15.09.2009.

The sizes and weights are approximate values. The mass in running order applies for a standard model without any optional extras. Please note: the price of Sunlight products in various European countries will differ. This is due to differing levels of specification in the individual countries and varying rate of VAT and luxury tax. Sunlight reserve the right to alter technical and material specifications and standard equipment at any time as material and conditions demand. Subject to change, errors excepted.