



Technical Data. Specification.

Sunlight – big world for an attractive price!



GB

1 / 2010


Sunlight Motorcaravans

- Made in Germany
- Long experience in development
- High quality at a fair price
- Comprehensive standard specification
- Europe-wide dealer support
- Reliable spare parts supply



Technical Data. Specification.

Sunlight – big world for an attractive price!



Layout		T 57	T 58	T 63	T 65	T 66	A 58
Technical data							
Length / width / height	cm	623/233/291	623/233/291	678/233/291	693/233/291	693/233/291	595/233/310
Internal height	cm	195	195	195	195	195	195
Towing weight 12% braked / unbraked	kg	2000/750	2000/750	2000/750	2000/750	2000/750	2000/750
Tyres		215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C
Wheel base	cm	345	345	380	380	380	300
Bed size Overcab	cm	-	-	-	-	-	210x160
Middle	cm	210x50*	165x100*	210x115*	210x60*	165x100*	174x100
Lengthwise	cm	-	-	-	-	-	180x60
Alternative	cm	-	-	-	-	210x200*	210x180*
Rear	cm	210x140	195x135	195x135	210x145	200x80 / 195x80	-
Standard engine		2,2 lJTD	2,2 lJTD	2,2 lJTD	2,2 lJTD	2,2 lJTD	2,2 lJTD
Performance	kW / BHP	74/100	74/100	74/100	74/100	74/100	74/100
Chassis-Type		Fiat platform	Fiat platform	Fiat platform	Fiat platform	Fiat platform	Fiat platform
Mass in running order (approx.)	kg	2745	2745	2835	2865	2865	2725
Payload (approx.)	kg	750	750	660	630	630	770
Maximum authorised weight (approx.)	kg	3495	3495	3495	3495	3495	3495
Possible weight upgrade (approx.)	kg	3850	3850	3850	3850	3850	3850
Designated passenger seats 3,5 t		4	4	4	4	4	4 (6**)
Designated passenger seats at weight upgrade 3,85 t		4	4	4	4	4	6**
Heating		C 6002	C 6002	C 6002	C 6002	C 6002	C 6002
Fridge / freezer compartment	l	113/11	113/11	113/11	113/11	113/11	113/11
Water incl. boiler / waste water tank capacities	l	122 (72)/92	122 (72)/92	122 (72)/92	122 (72)/92	122 (72)/92	97 (72)/92
Garage door size W x H	cm	70x125	60x75	80x75	80x125	80x125	-
Swivel driver seat		●	●	●	●	●	-
Swivel passenger seat		●	●	●	●	●	-
Battery / Charger	Ah / A	95/18	95/18	95/18	95/18	95/18	95/18
Power outlets 230 V / 12 V		2/1	3/1	3/1	2/1	2/1	2/1

Standard Specification Sunlight Motorcaravans

Chassis/ Base vehicle


- Fiat Ducato X/250 with Common-Rail-Turbo diesel technique, Multijet, original chassis with standard gauge, front wheel drive, 2.2 lJTD with 74 kW/100 BHP
- Driver airbag
- ABS, ESP, disc wheel brakes, electronic differential brake (EDS), traction control, revolution counter, power steering, height-adjustable headlamps, anti theft device, 3 point inertia seat belt
- Circulating air heating
- Chassis members cataphoretically painted
- Cab central locking system
- Electrical window lift
- Break down kit
- Colour co-ordinated cab seats

Bodywork exterior

- Wall thickness 34 mm, floor thickness 41 mm
- Roof and side walls in sandwich construction
- Rear moulding with clear glass lights
- Smooth aluminium side walls
- Opening windows with fly screen and blinds
- Roof lights with fly screens
- Luton with O/S window (Overcab)
- Security net for luton bed and bunk beds (Overcab)
- One-piece entrance door with fly screen
- Drop chassis extensions
- Rear garage/ storage (not for A 58)
- Electrical entrance step, two steps

Installations


- Gas locker for up to 2x11 kg bottles
- Truma C6002 gas heating with integrated 12 l boiler
- All service pipes are in insulated area
- Submerged water pump
- Powerful gel leisure battery 95 Ah
- Starter and leisure battery with automatic switch over (also for fridge)
- Electrical charger for both starter and leisure battery 12V/18A
- CEE 230 V external socket with safety device
- Multi-functional on-board control panel
- Electrical entrance step
- Central lighting in entrance area
- Awning light


A 68
A 69
A 70

698/233/310	698/233/310	728/233/310
195	195	195
2000/750	2000/750	2000/750
215/70R 15C	215/70R 15C	215/70R 15C
404	404	404
210x160	210x160	210x160
184x100	184x100	184x100
-	-	-
2x210x95	200x70 / 190x70	210x155/140
2,2 l JTD	2,2 l JTD	2,2 l JTD
74/100	74/100	74/100
Fiat platform	Fiat platform	Fiat platform
2975	2975	3015
520	520	480
3495	3495	3495
3850	3850	3850
4 (6**)	4 (6**)	4 (5**)
6**	6**	6**
C 6002	C 6002	C 6002
113/11	113/11	113/11
122 (72)/92	122 (72)/92	122 (72)/92
80x125	110x135	110x125
-	-	-
-	-	-
95/18	95/18	95/18
2/1	3/1	2/1

That added comfort comes standard

- › Driver airbag
- › Colour co-ordinated cab seats
- › Rear garage/ storage compartment (optional for A58)
- › Lift-up luton with window
- › Flyscreen door
- › Electrical entrance step
- › Kitchen plinth with integrated spots
- › Cold foam mattress with wooden bed laths
- › High payload
- › High-quality hinges
- › And much more

 e.g. 4 (6)

4 = standard number of belted seats according to standard weight / homologation.
(6**) = maximum number of belted seats. Depending on the different layouts this maximum number may only be reached by a chassis upgrade and / or by fitting further safety features (option).

The maximum authorised weight and the axle load must not be exceeded.

* only in conjunction with optional bed extensions (single beds to double, lounge to bed).

Depending on layout, further information see option list.

** For more than 4 persons the optional safety package (head rests and lap belts against driving direction) is required. Ask your Sunlight dealer for further information.

Kitchen

- Flush fitting 3-burner hob, sink and drainer in stainless steel with split cover. Gas valves easily accessible.
- Fridge including freezer compartment
- Cutlery drawer on smooth steel runners (for A68, A69, A70)
- Kitchen plinth with flush fitting halogen spotlights
- Waste bin (for A68, A69, A70)
- 230 V socket
- Oven*

Bathroom

- Swivel cassette toilet with electronic flush
- Shower with shower curtain
- Height-adjustable shower head
- Bathroom in wood optic or plastic white/ silver

Bathroom (continuation)

- Mirror cabinet
- Roof light with flyscreen (depending on layout)
- Flush fitting halogen spotlights

Living area

- Cold foam mattresses with wooden bed laths for fixed and bunk beds
- Lift-up luton with bed laths
- Extendable table (Low Profile models)
- Vented overhead lockers and bench lockers
- Wooden edging
- Montreux Pear wood
- Working surface in granite optic with silver edging
- PVC flooring in parquet optic

Fabrics

- Rügen or Torino

*Standard UK specification which is above European specification



Optional Extras

Type	Add. weight	T57	T58	T63	T65	T66	A58	A68	A69	A70
■ Chassis										
Fiat Ducato 2.3l – 130 BHP	15	○	○	○	○	○	○	○	○	○
Fiat Ducato 3.0 l – 157 BHP	40	○	○	○	○	○	○	○	○	○
Fiat Chassis Package	28	○	○	○	○	○	○	○	○	○
Weight upgrade 3850 kg	–	○	○	○	○	○	○	○	○	○
Automated gearbox (6 gear) only in conjunction with 3.0l without diesel particulate filter	17	○	○	○	○	○	○	○	○	○
Radio pre-wiring (for vehicles without Chassis Package)	2	○	○	○	○	○	○	○	○	○
Particulate filter (not in conjunction with automated gearbox)	10	○	○	○	○	○	○	○	○	○
■ Bodywork exterior										
Roof rack with ladder in aluminium	17	○	○	○	○	○	○	○	○	○
Opening sunroof in cab area	8	○	○	○	○	○	–	–	–	–
Heki roof light	11	○	○	○	○	○	○	○	○	○
Second garage door (N/S), size depending on layout	3-5	○	–	–	○	○	–	–	–	○
Storage compartment (bench lengthwise)	20	–	–	–	–	–	○	–	–	–
Storage compartment (under floor)	59	–	–	–	–	–	○	–	–	–
Rear corner steadies (2 pieces)	6	○	○	○	○	○	○	○	○	○
■ Bodywork interior										
Bed extensions for lounging area	5	○	–	○	○	–	○	–	–	–
Bed extensions for changing single into double bed	3	–	–	–	–	○	–	–	–	–
Additional cushions to make up bed in lounge area	3	–	○	–	–	○	–	–	–	–
Large wardrobe next to kitchen	–	–	–	–	–	○	–	–	–	–
Safety package: head rests and belts against the driving direction (5 or 6 passengers homologation)	5	–	–	–	–	–	○	○	○	○
Removable loose fitting carpets	6-9	○	○	○	○	○	○	○	○	○
■ Installations										
Insulated waste water tank	2	○	○	○	○	○	○	○	○	○
2nd leisure battery 95 Ah	27	○	○	○	○	○	○	○	○	○
Extractor fan	2	○	○	○	○	○	–	–	○	–
Heating: electrical heating 230 V for Truma C 6002	2	○	○	○	○	○	○	○	○	○
Fridge 150 l, thereof freezer compartment 26 l	20	–	–	–	○	○	–	○	–	○
■ Misc										
Registration documents	–	*	*	*	*	*	*	*	*	*

* obligatory

○ Option

● Standard

– Not possible

* Standard UK specification which is above European specification

Basic Package (16 kg)

- › Midi Heki
- › Shower walls (not for T 57)
- › Blinds for roof lights
- › Wardrobe (not for A/T 58)
- › Water ingress warranty of 5 years*

* provided annual inspections are undertaken by a Sunlight approved service centre

Fiat Chassis Package (28 kg)

- › Cab air conditioning manual
- › Passenger airbag
- › Electrical and heated mirrors
- › Speed control
- › Radio pre-wiring with loud speakers

General Information

The 'Mass In Running Order' according to norms 92/21 EG and EN 1646-2 includes the empty vehicle weight, the driver's weight calculated at 75 kg, a 90% fuel capacity, a reduced water tank capacity (60 kg), 1 x 11 kg gas bottle (100% filled) and a cable reel.

The term 'Maximum Authorised Weight' must not be exceeded when optional extras and personal items are taken into account.

The Technical Information Sunlight Motorcaravans 01/2010 is valid from 15.09.2009.

The sizes and weights are approximate values. The mass in running order applies for a standard model without any optional extras. Please note: The price of Sunlight products in various European countries will differ. This is due to differing levels of specification in the individual countries and varying rates of VAT and luxury tax. Sunlight reserve the right to alter technical and material specifications and standard equipment at any time as material and conditions demand. Subject to change, errors excepted.