

**Technical Data. Specification.**  
Sunlight – big world for a small price!




**EUR** **Sunlight Motorcaravans**  
German quality for an attractive price!

**1/2011** 

# Technical Data. Specification.

## Sunlight – big world for a small price!

*Towards the sun!*




Layout		T57	T58	T63	T64	T65	T66	T69
<b>Technical data</b>								
Length/ width/ height	cm	623/233/291	623/233/291	678/233/291	693/233/291	693/233/291	693/233/291	738/233/291
Internal height	cm	195	195	195	210	195	195	195
Towing weight 12% braked/ unbraked	kg	2000/750	2000/750	2000/750	2000/750	2000/750	2000/750	2000/750
Tyres		215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C
Wheel base	cm	345	345	380	380	380	380	404
Bed size Overcab / Pull-down bed	cm	-	-	-	197 x 120/141***	-	-	-
Middle	cm	210 x 50*	165 x 100/55*	210 x 110*	210 x 110*	210 x 60*	165 x 100/55*	165 x 100/55*
Lengthwise	cm	-	-	-	-	-	-	-
Alternative	cm	-	-	-	-	-	210 x 200*	-
Rear	cm	210 x 140	195 x 135	195 x 135	195 x 135	210 x 145	200 x 80/ 195 x 80	190 x 148
Standard engine		2,2 l JTD	2,2 l JTD	2,2 l JTD	2,2 l JTD	2,2 l JTD	2,2 l JTD	2,2 l JTD
Performance	kW/ BHP	74/100	74/100	74/100	74/100	74/100	74/100	74/100
Chassis type		Fiat platform	Fiat platform	Fiat platform	Fiat low frame	Fiat platform	Fiat platform	Fiat platform
Mass in running order (approx.)	kg	2730	2740	2820	2820	2850	2850	2950
Payload	kg	765	755	675	675	645	645	545
Maximum authorised weight (approx.)	kg	3495	3495	3495	3495	3495	3495	3495
Possible weight upgrade (approx.)	kg	3850	3850	3850	3850	3850	3850	3850
Designated passenger seats 3.5 t		4	4	4	4	4	4	4
Designated passenger seats at weight upgrade 3.85 t		4	4	4	4	4	4	4
Heating		Truma C 6	Truma C 6	Truma C 6	Truma C	Truma C 6	Truma C 6	Truma C 6
Fridge/ freezer compartment	l	113/11	113/11	113/11	113/11	113/11	113/11	113/11
Water incl. boiler/ waste water tank capacities	l	122 (72)/92	122 (72)/92	122 (72)/92	122 (72)/92	122 (72)/92	122 (72)/92	122 (72)/92
Garage door size W x H	cm	70 x 125	60 x 75	80 x 75	100 x 60	80 x 125	80 x 125	r 110 x 90 / l 70 x 90
Swivel driver seat		●	●	●	●	●	●	●
Swivel passenger seat		●	●	●	●	●	●	●
Battery/Charger	Ah / A	95/18	95/18	95/18	95/18	95/18	95/18	95/18
Power outlets 230 V/ 12 V		2/1	3/1	3/1	3/1	2/1	2/1	2/1

\* only in conj. with optional extra "bed extensions for lounging area", "add. cushions to make up bed" or "single bed to double bed" (depending on layout)

\*\* For more than 4 persons the optional safety package (head rests and lap belts against driving direction) is required. Please contact your Sunlight dealer for further information.

\*\*\* only in conj. with optional extra "pull-down bed"

## Standard Specification Sunlight Motorcaravans


**A 58**
**A 68**
**A 69**
**A 70**

A 58	A 68	A 69	A 70
595/233/310	698/233/310	698/233/310	728/233/310
195	195	195	195
2000/750	2000/750	2000/750	2000/750
215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C
300	404	404	404
210 x 160	210 x 160	210 x 160	210 x 160
174 x 100	184 x 100	184 x 100	184 x 100
180 x 60	-	-	-
210 x 180*	-	-	-
-	2 x 210 x 95	200 x 70 / 190 x 70	210 x 155/140
2,2 lJTD	2,2 lJTD	2,2 lJTD	2,2 lJTD
74/100	74/100	74/100	74/100
Fiat platform	Fiat platform	Fiat platform	Fiat platform
2710	2960	2960	3000
785	535	535	495
3495	3495	3495	3495
3850	3850	3850	3850
4 (6**)	4 (6**)	4 (6**)	4 (5**)
6**	6**	6**	6**
Truma C 6	Truma C 6	Truma C 6	Truma C 6
113/11	113/11	113/11	113/11
97 (72)/92	122 (72)/92	122 (72)/92	122 (72)/92
80 x 28	80 x 125	110 x 135	110 x 125
-	-	-	-
-	-	-	-
95/18	95/18	95/18	95/18
2/1	2/1	3/1	2/1

### Chassis/ Base vehicle

- Fiat Ducato X/250 with Common-Rail-Turbo diesel technique, Multijet, original chassis with standard gauge, front wheel drive, 2.2 lJTD with 74 kW/100 BHP
- Fiat low platform chassis with broad gauge chassis (T 64)
- Driver airbag
- ABS, ASR, EBD, rear and front axle stabiliser, disc wheel brakes, electronic differential brake, revolution counter, power steering, height-adjustable headlamps, anti theft device, 3-point inertia seat belt
- Circulating air heating
- Chassis members painted
- Cab central locking system
- Electrical window lift
- Break-down kit
- Colour co-ordinated cab seats with two arm rests

### Bodywork exterior

- Floor thickness 41 mm incl. 30 mm foam polystyrene
- Roof and wall thickness 34 mm
- Roof and side walls in sandwich construction
- Smooth aluminium sides walls in white
- Opening windows tinted with blind and flyscreen (not for bathroom)
- Skylights with flyscreen
- High Overcab shape with O/S window
- Security net for luton bed and bunk beds
- One-piece entrance door with flyscreen
- Drop chassis extension
- Rear garage/ storage compartment
- Electrical entrance step
- Awning light

### Installations

- Heated Overcab area
- Gas locker for 2 x 11 kg bottles
- Trumatic C 6 heating with integrated boiler
- Warm water supply with one-handle mixing battery
- Powerful leisure battery 95 Ah
- Starter and leisure battery with automatic switch over (also for fridge)
- Electrical charger for both starter and leisure battery 12 V/18 A
- CEE 230 V external socket with safety device
- On-board-control panel for all important functions
- Central lighting in entrance area
- Childproof lights for bunk bed area (A 68, A 69)



e.g. 4 (6\*\*)

4 = Standard number of belted seats according to standard weight/ homologation.  
 (6\*\*) = maximum number of belted seats. Depending on the different layouts this max. number may only be reached by a chassis upgrade and/ or by fitting further safety features (option).

The maximum authorised weight and the axle load must not be exceeded.

### Kitchen

- Flush fitting 3-burner-hob, sink and drainer in stainless steel with split cover. Gas valves easily accessible
- Cutting board which is also sink cover
- Fridge with freezer compartment
- Cutlery drawer on smooth steel runners
- Kitchen illuminated plinth
- Waste bin
- Kitchen block with spacious drawers (for T 64, T 65, T 66, T 69)

### Bathroom

- Bathroom in wood optic or plastic white/silver (depending on layout)
- Cassette toilet with electrical pump and swivelling seat
- Shower with shower curtain or separated shower room with door (depending on layout)
- Height-adjustable shower head
- Mirror cabinet
- Roof light with flyscreen (depending on layout)
- Flush-fitting Halogen spotlights
- Robust handle for bathroom door

### Living area

- Cold foam mattresses with wooden laths for all fixed beds
- Foam mattresses with wooden laths for overcab and bunk beds
- Lift-up luton with bed laths, 72 cm headroom (Overcab models)
- Extendable table (Low Profile models)
- Vented overhead lockers and bench lockers
- Wooden edging
- Montreux Pear wood
- Working surface in granite optic with silver edging
- PVC flooring in parquet optic
- Implements bag for Overcab area

### Soft furnishing

- Almeria or Torino

### That added comfort comes standard

- Driver airbag, ABS and ASR
- Colour co-ordinated cab seats
- Rear garage/ storage compartment with illumination (depending on layout)
- Lift-up luton, heated (laying area 210 x 160 cm)
- Flyscreen door
- Electrical entrance step
- Illuminated kitchen plinth
- Cold foam mattress with wooden bed laths
- High payload
- High-quality hinges



## Optional extras

Type	Weight in kg	T57	T58	T63	T64	T65	T66	T69	A58	A68	A69	A70
<b>■ Chassis</b>												
Fiat Ducato 2,3 l - 130 BHP	15	○	○	○	○	○	○	○	○	○	○	○
Fiat Ducato 3,0 l - 157 BHP	40	○	○	○	○	○	○	○	○	○	○	○
Fiat Chassis Package	28	○	○	○	○	○	○	○	○	○	○	○
Weight upgrade 3850 kg	–	○	○	○	○	○	○	○	○	○	○	○
Automated gearbox (6 gear) incl. ESP and only in conj. with 3.0 l and without diesel particulate filter	17	○	○	○	○	○	○	○	○	○	○	○
Particulate filter (not in conj. with automated gearbox)	10	○	○	○	○	○	○	○	○	○	○	○
<b>■ Bodywork exterior</b>												
Roof rack with ladder in aluminium	17	○	○	○	○	○	○	○	○	○	○	○
Opening window in T-bonnet	8	○	○	○	○	○	○	○	–	–	–	–
Heki	11	○	○	○	○	○	○	○	○	○	○	○
2nd access locker door (N/S, size depending on model)	3-5	○	–	–	–	○	○	●	–	–	–	○
Storage compartment (bench lengthwise size: 800x590)	20	–	–	–	–	–	–	–	○	–	–	–
Rear corner steadies (2 pieces)	6	○	○	○	○	○	○	○	○	○	○	○
<b>■ Bodywork interior</b>												
Shower interior trim	2	–	○	○	○	○	○	○	○	○	○	○
Bed extensions for lounging area	5	○	–	○	○	○	–	–	○	–	–	–
Bed extensions for changing single into double bed	3	–	–	–	–	–	○	–	–	–	–	–
Add. cushions to make up bed in lounge area	3	–	○	–	–	–	○	○	–	–	–	–
Large wardrobe next to kitchen	–	–	–	–	–	–	○	–	–	–	–	–
Pull-down bed	55	–	–	–	○	–	–	–	–	–	–	–
Safety package: head rests and belts against the driving direction (5 or 6 passengers' homologation)	5	–	–	–	–	–	–	–	○	○	○	○
Removable loose fitting carpets	6-9	○	○	○	○	○	○	○	○	○	○	○
Skylight blind	–	○	○	○	○	○	○	○	○	○	○	○
<b>■ Installations</b>												
Insulated waste water tank	2	○	○	○	○	○	○	○	○	○	○	○
2nd leisure battery 95 Ah	27	○	○	○	○	○	○	○	○	○	○	○
Oven	14	○	○	○	○	○	○	○	–	○	○	○
Extractor fan	2	○	○	○	○	○	○	○	–	–	○	–
Heating: electrical heating 230 V for Truma C 6002	2	○	○	○	○	○	○	○	○	○	○	○
Floor heating electr. for accessible area	6	○	○	○	○	○	○	○	○	○	○	○
Fridge 141 l, thereof freezer compartment 26 l	20	–	–	–	○	○	○	○	–	○	–	○
<b>■ Misc</b>												
Registration documents	–	*	*	*	*	*	*	*	*	*	*	*

\* obligatory ○ optional extra ● standard – not possible

\* Standard UK specification which is above European specification

The Technical Information Sunlight Caravans 01/2011 is valid from 15/09/2010. Please note: the price of Sunlight products in various European countries will differ. This is due to differing level of specification in the individual countries and varying

rate of VAT and luxury tax. Sunlight reserve the right to alter technical and material specifications and standard equipment at any times as material and conditions demand. Subject to change, errors excepted.

[www.sunlight-caravaning.com](http://www.sunlight-caravaning.com)

### Basic Package (16 kg)

- › Panoramic skylight
- › Shower walls (not for T 57)
- › Skylight blind
- › Wardrobe (not for A/T 58)
- › Water ingress warranty 5 years \*

\* provided annual inspections are undertaken by a Sunlight approved service centre

### Fiat Chassis Package (28 kg)

- › Cab air conditioning manual
- › Passenger airbag
- › Electrical and heated mirrors
- › Speed control
- › Radio pre-wiring with loud speakers
- › Fiat mirror aerial

### General information

The mass in running order according to norms 97/27 EG and EN 1645-2 includes the empty vehicle weight, the driver's weight calculated at 75 kg, a 90% fuel capacity as well as the following basic equipment: a reduced water tank capacity (60 kg), filled gas bottle (25 kg) and a cable reel (4 kg). The term "Maximum Authorised Weight" must not be exceeded when optional extras and personal items are taken into account.

The sizes and weight are approximate values. The mass in running order applies for a standard model without any optional extras. The payload value will reduce when optional extras are fitted.